Biological Times

Volume No. 4 | Issue No. 7 | Pages 3-6

CRISPR Technology to Improve Crop Nutritional Content

Laiba Yaseen[1] and Ali Raza[2]

1. Center of Agricultural Biochemistry and Biotechnology (CABB), University of Agriculture Faisalabad, Punjab, Pakistan
2. Department of Entomology, University of Agriculture Faisalabad, Punjab, Pakistan

*Corresponding Author: **laibaayet@gmail.com**

ABSTRACT

The ever-increasing population rates in the world and increasingly poor malnutrition-related indicators, enhanced by the general shortage of micronutrients, presents a significant burden to global food security and health. In this regard, the potential availability of CRISPR-based biofortification of staple crops presents a new approach to increase key micronutrients. The advantage of CRISPR is that it allows zeroing in on certain targets in the genome meaning that it is possible to enhance nutrient levels in critical food stores. However, its application in the agricultural context is complexed with three main barriers, including off-target allelic mutations, the dynamic regulatory framework, and disparity in the societal perception. The combination of CRISPR and speed-breeding methods, coupled with genomic-selection algorithms, will have the capacity of enhancing crop-improvement processes significantly and, as a result, lead to high levels of nutritional security globally.

Keywords: CRISPR, nutritional enhancement, biofortification, genome editing, micronutrients, crop improvement, malnutrition

To cite this article: Yaseen L & A Raza. CRISPR Technology to Improve Crop Nutritional Content. Biological Times. 2025. July 4(7): 3-6.

Introduction

With the increasing world population, the rise in the incidence of malnutrition and micronutrient deficiency has aggravated the food systems and the health of people. Traditional ways of farming that were sufficient to support the nutritional requirements of a community are becoming insufficient. In these conditions, biotechnological innovations have been irreplaceable to enhance crop nutrition patterns and to strengthen food security programs. CRISPR gene-editing technology is among numerous other strategies in biotechnology which are characterized by their specificity, effectiveness, and versatility. First discovered as viral protection method by bacteria, CRISPR, with the CRISPR-Cas9 system in particular, has since been re-designed to allow precise editing of a wide range of genomes, including those of plants. CRISPR opens up a direct way of editing plant DNA, which can help researchers improve things like yield, stress tolerance, disease resistance and nutrition value of crops. The nutrition status of populations has also been improved through biofortification; a relatively new form of genetic modification and/or breeding of staple crops with the aim of increasing the amounts of key vitamins and minerals; as well as proteins, and phytochemicals contained within them. However, traditional breeding and previous versions of genetic modification tend to take prolonged development cycles or use alien genes thus eliciting concerns by consumers and regulatory agencies. In contrast to it, the CRISPR has introduced a more specific and speedier alteration process that does not require the insertion of an exogenous DNA, which makes it a more acceptable method in many parts of the world.

The current discussion explores the application of CRISPR based genome editing to enhance the nutritional value of staple cereals, i.e. rice, wheat, and maize and specifically explores what methodologies are being taken by genome editing in relation to nutritional engineering, what empirical successes have been achieved so far, what public-health benefits can be anticipated as a result and finally what broader ethical and regulatory concerns raising will be generated by such applications. Through CRISPR-based gene editing technology, agricultural biotechnologists are experimenting with the possibilities of developing cereal grains that are not only enriched by the critical micronutrients lacking in their diet, but also tolerant against harsh environmental conditions, and finally remain consistent with sustainable farming, which is why the technology offers a viable hope to alleviating the world tree of malnutrition and promising a healthier future.

Review of literature

In the recent few years, researchers have been engaged in heightened endeavors to enhance the nutritive status of food crops by the use of a wide gradient of methodologies. There has been an evolution of the trajectory of conventional breeding methods to transgenic technologies and yet again, genome editing techniques more specifically, the CRISPR-Cas9 system. The current report outlines the main research innovations that have expanded our understanding of the potential of CRISPR in enriching crop nutrient data.

Traditional approaches to the Improvement of Nutrition

Conventional plant breeding has been used traditionally as a means to breed cultivars that contain high levels of certain nutrients. Major successes are the iron-enriched bean varieties and maize lines which have been engineered to have high protein content. However, these methods are limited by the current genotypic diverse nature, are quite time-consuming and require several genomics cycles. Advances in biotechnology intervention, especially the creation of Golden Rice that is designed to produce provitamin A (8 carotene) has also proven to be useful in countering micronutrient deficiency. Nevertheless, the suspicion that still exists in most people concerning genetically modified organisms, and strict regulation adds to the hindrance to the widespread of such innovations (8).

The use of CRISPR In Crop Improvement

The CRISPR-Cas9 is a game-changing platform in genome editing due to its great precision, flexibility in operation, and compared case of technology in performing it (3). Unlike the previous methods of genetic modifications, CRISPR allows scientists to perform limited changes in DNA of an organism on its own, often without any external genetic material (1). This characteristic can assuage the concerns of the population and regulatory hype normally appended to GMOs. An example of such breakthroughs is the editing of the Wx gene in rice, which enhances amylose levels and makes starch better leading to its importance both to the producer and the consumer.

CRISPR for Biofortification of Micronutrients

Global deficiencies of micronutrients iron, zinc and provitamin P have continued to hamper global health, so research efforts to develop molecular-targeted strategies to enhance nutritional sufficiency are still in progress. The modern research using the CRISPR technology has been focusing on the alteration of the plant genes involved in the micronutrient transportation and storage. Researchers hope that by selectively manipulating biochemical pathways they will create crop lines that can better supply human needs in these nutrients. Zinc and Iron. (5) proved that editing of the OsVIT2 gene in rice presented an increase in the iron levels in the grain. Vitamin A (Provitamin A) (2) did further on the Golden Rice idea by making use of CRISPR to boost the levels of β-carotene produced in the rice endosperm. Folic acid (B9). Vitamin B9 (Folate) is usually insufficiently taken all over the world. (1) explained how the biosynthesis of folate could be increased in tomato fruit by editing the GCHI and ADCS genes using CRISPR. Amino Acids and Protein. (6) used the CRISPR technology to silence the OsAAP6 gene in rice, increasing the bioavailable levels of essential amino acids. Correspondently, modification of the CAF1 gene in soybean resulted in increasing seed protein content demonstrating that the technology can transform plant-based protein sources.

Regulatory, Social, and Ethical Aspects

CRISPR technology represents a favorable field of crop enhancement, but it requires a solid investigation of ethical requirements, legal frameworks, and societal acceptability. Based on empirical surveys, it has been said every day that genome edited plants have a probability of facing less onerous regulation as compared to traditional genetic modified organisms (GMOs) in some jurisdictions. Still, it is necessary to establish consistent and unified policy models. At the same time, one should be able to build

trust and approval of approaches toward responsible genome-editing in ag processes by conducting open communication with the general population. An effective review of the literature proves that CRISPR has the potential to make crops nutritionally stronger by applying expertise editing alongside a relatively popular notion compared to previous methods of enhancing the genetics of crops. The turning of this reality, however, will be associated with increased scientific research, cross-border optimization in regulatory systems, and active involvement of stakeholders, i.e., policymakers, farmers, and consumers.



Fig. 1: Pre- and Post-Genome Editing

Methodology

Enhancement of crops by means of genome editing engulfs a delineated procedure incorporating both empirical practices with methodical evaluation. The procedures followed in modern research efforts are mentioned as follows:

Target Crop and Nutritional Trait Selection:

At the first stage, investigators determine what kind of species belong to crops and what kinds of nutritional parameters should be improved. Frequently used focal crops include rice (Oryza sativa), wheat (Triticum aestivum), maize (Zea mays), and soybean (Glycine max), because these crops are widespread in human nutrition. The nutritional characteristics aimed for improvement often encompass the following:

- **Vitamins** (e.g., provitamin A, folate)
- **Minerals** (e.g., iron, zinc)
- **Essential amino acids** (e.g., lysine, methionine)
- **Protein content**

Target genes responsible for the biosynthesis, transport, or storage of these nutrients were selected through bioinformatics analysis and literature reviews of previous genomic studies.

Design of Guide RNA (gRNA)

The first step of the CRISPR-Cas9 genome engineering is the identification of the target gene. Synthesis of later synthetic guide RNAs (gRNAs) is important to assist CRISPR-related protein 9 (Cas9) to a specifically located site. New computational tools, especially CRISPR-P and CHOPCHOP, enable gRNAs design to be extremely specific and efficient with essentially no off-target potential.

Building Vectors and Delivering

After gRNAs are characteristic, the Cas9 effector complex and gRNA are integrated into the target organisms. The process is most often via cloning of the two components into expression vectors which are often plasmid or viral vectors containing high expression promoters (e.g. the ubiquitin promoter in plants). At other cases, genome editing via DNA-free delivery systems have been utilized. The constructed CRISPR-Cas9 system is then introduced into plant cells using one of the following transformation methods:

- Transformation is mediated by Agrobacterium tumefaciens (often utilized for dicots such as soybean)
- Particle bombardment (gene gun) (suitable for monocots like rice and maize)
- Protoplast transfection (for experimental validation)

Screening and Plant Regeneration

After successful transformation, plant cells are cultured on selective media to regenerate whole plants using tissue culture techniques. The regenerated plants (T0 generation) underwent molecular screening to confirm the targeted edits.

- **Polymerase Chain Reaction (PCR)** to amplify target regions
- **Sanger or Next-Generation Sequencing (NGS)** to verify the presence of intended mutations or deletions

Quantitative PCR (qPCR) to assess gene expression levels of edited genes. **Phenotypic and Nutritional Analysis:**

To confirm the success of genome editing in enhancing nutritional content, biochemical analyses were conducted.

- **High-Performance Liquid Chromatography** (HPLC) for the analysis of vitamins and amino acids
- **Inductively Coupled Plasma Mass Spectrometry** (ICP-MS) for the measurement of minerals
- **Protein content assays** (e.g., Bradford)
- Assays for **enzyme activity** associated with the routes of nutrient biosynthesis

Off-Target Analysis and Assessment of Biosafety

Given the critical importance of biosafety, off-target effects are evaluated using bioinformatics predictions and whole-genome sequencing, as necessary. Additionally, toxicological and allergenicity assessments are conducted prior to field trials or commercialization.



Fig. 2: Flowchart of CRISPR Workflow in Crop Editing

Ethical and Regulatory Considerations

Although regulatory requirements differ globally, most CRISPR-edited crops are evaluated by national biosafety authorities. Information on gene-editing success rates, potential off-target effects, and the resulting nutritional improvements is gathered to aid in regulatory approval processes, especially in countries where policies on genome-edited crops are still being developed.

Summary of Methodology

A well-defined methodological framework is essential for achieving accuracy in genome editing, confirming nutritional enhancements, and maintaining compliance with safety guidelines. By bringing together sophisticated molecular biology tools and principles from nutritional science, the CRISPR-Cas9 system provides a practical and effective approach to developing crop varieties with improved nutritional value.

Results

Recent discoveries with regard to genome editing using the CRISPR-Cas9 tool have produced promising results that have led to increased nutritional value of some commonly used food crops. These improvements are supported by empirical data from a series of studies.

Micronutrient Enrichment: Rice has shown the capacity to increase iron and zinc content in its edible tissues as a result of specific gene manipulation, including OsVIT2 and NAS. Such gains are especially significant in reducing wide-scale shortages of such minerals in low- and middle-income areas (5).

Vitamin Biofortification: The editing platform has already been used to increase levels of β-carotene biosynthesis in rice (Golden Rice 2.0), tomatoes, and maize; this has either been done by increased expression of key pathway genes (2) or through silencing of negative regulators with resulting visible increases in plentitude of provitamin A.

Optimization of Protein and Amino Acids: Specific losses of negative regulators, such as the disruption of OsAAP6 and GmCAF1 in rice and soybean, respectively, have resulted in increasing the level of essential amino acids and enhancing the protein content of seeds.

Decrease of Anti-Nutritional Factors: CRISPR deletions of the soybean and cassava phytic acid and cyanogenic glycoside genes decrease bioavailability of nutrients and strengthen food safety.

Great Precision and Stability: CRISPR-made edits are heritable, stable, and unwanted effects are minimal in all the crops directed across the samples. The availability of complementary molecular screening confirms the absence of exogenous DNA as well as the presence of the desired mutations, which can be utilized to alleviate regulatory authorization in some jurisdictions.

The overall findings of these studies support the application of CRISPR as a stable and valid tool to biohigher the crops and enhance them nutritionally both in the laboratory and at the field level.

Table 1: Notable CRISPR Applications by Crop Type and Targeted Nutrient

Crop	Nutrient Enhanced	Target Gene(s)	CRISPR Intervention	Result
Rice	β-Carotene (Provitamin A)	OsPSY, OsOR	Gene activation/editing of carotenoid biosynthesis genes	Increased β-carotene in grains ("Golden Rice")
	Iron	OsNAS2 OsVIT1	Overexpression via promoter editing	Enhanced iron accumulation in endosperm
Maize	Folate (Vitamin B9)	FOL1, GCHI, ADCS	Edited folate biosynthetic genes	2–3× folate increase in kernels
	Lysine (Amino Acid)	LKR/SDH	Knockout to reduce lysine degradation	Higher lysine content in maize seeds
Wheat	Zinc & Iron	NAS2, VIT1	Editing of transporter and chelator genes	Improved grain mineral content
	Gluten (Allergen Reduction)	α-gliadin	Knockout of multiple gliadin genes	Low-gluten wheat for celiac-safe diets
Tomato	GABA (Amino Acid)	SlALMT9	Knockout to block vacuolar malate transport	Elevated GABA levels; improved anti-hypertensive value
	Lycopene (Antioxidant)	SlMYB12, SlDDB1	Knock-in/activation of genes in carotenoid pathway	Boosted lycopene levels
Soybean	Phytic Acid (Antinutrient)	IPK1, MIPS	Knockout to reduce phytic acid	Increased mineral bioavailability (iron, zinc)
Banana	Pro-Vitamin A	LCYβ, ZDS	Gene editing for carotenoid pathway	Higher carotenoid accumulation in fruit pulp

Discussion

The utilization of CRISPR genome-editing technologies to upgrade the nutritional value of crops comprises a dramatic development in agricultural biotechnology. The current discussion critically evaluates the existing successes, potential challenges, and the way forward as far as plant nutritional enhancement through CRISPR is concerned.

Success and Probable Impact

Building on the precedent of Golden Rice, the advanced CRISPR-based gene-editing protocols allow one to precisely alter carotenoid production pathways in plants that lead to increasing their β-carotene levels without the use of exogenous genes. This development is especially relevant to the populations of developing regions, where the problem of vitamin A deficiency is a pertinent topic in the area of public health (2).

Enhancement of Micronutrients: Developments with rice haves shown editing of rice genes that include OsVIT2 to create maximum volumes of iron in the grain, which would be proposed as an appealing method of reducing iron-deficiency anemia infection that affects millions of people (5).

Enhanced Amino Acid Composition: Even the protein quality of crops such as rice and soybeans is increased by pegging genes in the amino acid transport and metabolism. These Advances are of special interest to people who practice vegetarian or vegan forms of eating, which depend on the sources (7).

These changes embedded within the extensive agricultural systems have the potential to significantly overcome the prevalence of a particular condition of malnutrition, known as hidden hunger, which is related to the insufficient intake of micronutrients, despite getting the required number of calories.

Recent Problems

Though a lot has been done, there are still a number of challenges. These include:

Low industry penetration: In spite of the evidence of supported success in the conceptual verification of the efficacy of nutritional enrichment using CRISPR, the use of this technology is not ramping up in the industry, and this can partly be contributed to regulatory uncertainty and market acceptance issues.

Inequitable distribution of access levels globally: The access level to genome editing seed features is not evenly distributed worldwide and bring forth the concerns of inequity and economic robustness among rural agricultural communities.

Ethical and social concerns: The argument of what is natural in transgenic with respect to genome edited crops is still a debate that influences people's opinion and policy making.

Future Prospects

These refined genome-editing tools that use CRISPR technology, combined with new breeding protocols, may bring out opportunities to further improve the nutritional quality of staple crops. New studies to understand how these genomic changes interact with agronomic performance will be essential in transferring laboratory breakthroughs to the realistic solutions. The ongoing precedence of conversation between stakeholders, namely scientists, policymakers, consumers, and civil society will be necessary in order to address the complex issues that will go along with implementation of new biotechnologies.

Advantages of CRISPR Over Traditional Techniques

Compared to traditional breeding methods and earlier genetic engineering techniques, CRISPR presents several distinct benefits.

- **Precision and Specificity:** CRISPR allows for site-specific modifications without affecting the unrelated regions of the genome.
- **Speed and Precision:** The development of desired traits can be achieved much faster and with greater accuracy than conventional approaches.
- **Non-Transgenic Outcomes:** In many cases, CRISPR-edited plants do not contain foreign DNA, which may allow them to bypass strict GMO regulations in some regions.

These features make CRISPR a particularly attractive option for scientists, policymakers, and the agricultural sector as they work toward more sustainable and effective strategies to combat nutritional deficiencies.

Challenges and Limitations

Despite the great extent the role of CRISPR-Cas gene-editing technologies in increasing the nutritional value of crops has been well-documented, the process of full incorporation of these new technologies in the vocabulary of conventional Agri-industrial ways of farming awaits the answer to a number of challenges. To begin with, the off-target effects are still an issue, even though there have been modern developments in the design of guide RNA. With optimized sequences, it is nonetheless difficult to fully negate living with accidental genetic modifications, especially in polyploid crops like wheat which have several copies of similar genes which make it hard to hit with precision.

The second is the fact that regulatory uncertainty remains a driving force in the landscape of CRISPR usage on a global level. CRISPR-generated crops that do not introduce foreign DNA into crops produced can receive less regulation as compared to traditional genetically modified plants (GMOs) in the United States. The European Union on the other hand has enacted rules which classify CRISPR-edited organisms as GMOs and has created stricter controls with the GMO organisms, thus putting a strain on research and commercialization in the sector. Third, consumer acceptance issues are still important. The attitude of the general population towards gene-edited food is mixed: a low level of knowledge about CRISPR technology and the safety benefits of this technology is joined by the low level of awareness of the general population on the nature of genetic modification. Improving trust in the population will require coherent and scientifically backed communication and informational campaigns.

Last but not least, there are various social, ethical implications of the possibility of using CRISPR in the biofortification of crops. The issue of fair access and distribution of benefits of these technologies to bigger agricultural firms only and to smaller agriculturists and peoples facing malnutrition remains the focal point. This equity will require intersectoral cooperation between the governments, international organizations, and organizations operating in the private sector as it must be achieved and sustained.

Conclusion and Future Prospects

New tools in the genome editing toolbox such as CRISPR-Cas12 and CRISPR-Cas13 have greatly expanded the toolbox, which can perform precise editing of DNA and RNA, to provide avenues of trait optimization. Further, with the combination of the CRISPR with speed breeding and genomic selection potent technologies can be achieved in terms of generation of better crop varieties. Even though the entire range of potentials of CRISPR to improve nutrition on a global scale requires persistent interdisciplinary investigations, standardized international regulation, and active communication with the citizens, this cooperation is essential.

In conclusion, it is observed that the arrival of CRISPR genome editing represents another landmark development towards the development of crops with better nutritional value. CRISPR does this by simplifying the accurate and effective editing of plant genes in a targeted manner which can be used to physician widespread malnutrition which afflicts millions of people. CRISPR promises to be both quicker and more precise than traditional breeding and prior genetic-engineering methods; and unlike earlier genetic modification (GM), it may be fast enough to evade regulation altogether. The fact that the use of CRISPR with rice, wheat, maize, and soybean has shown that it is very possible to strengthen it with the stated aspects of vitamins, minerals, and proteins indicate that there is a great turn where the world must reinforce malnutrition at a global level and enhance food value. Still, there are deep-seated obstacles, such as the development of popular confidence, the identification of incidental genetic changes, and the course of varying regulatory policies in different countries.

Moving ahead, it is necessary to set up uniform global principles, the concept of open pedagogy, and continuous support of medical studies. Under these interventions, CRISPR- edited nutrient-rich crops may take one of the central positions shaping a more stable, more equal, and more nutritionally balanced world food system.

References

[1] Chen K, Wang Y, Zhang R, Zhang H, Gao C. CRISPR/Cas genome editing and precision plant breeding in agriculture. Annu Rev Plant Biol. 2019;70:667–697. https://doi.org/10.1146/annurev-arplant-050718-100049

[2] Endo A, Masafumi M, Kaya H, Toki S. Efficient targeted mutagenesis of rice genes using the CRISPR/Cas9 system. Sci Rep. 2019;9:19924. https://doi.org/10.1038/s41598-019-56077-7

[3] Jinek M, Chylinski K, Fonfara I, Hauer M, Doudna JA, Charpentier E. A programmable dual-RNA–guided DNA endonuclease in adaptive bacterial immunity. Science. 2012;337(6096):816–821. https://doi.org/10.1126/science.1225829

[4] Lassoued R, Macall DM, Smyth SJ, Phillips PWB, Hesseln H. Risk and safety considerations of genome-edited crops: Expert views from North America. Front Plant Sci. 2021;12:682014. https://doi.org/10.3389/fpls.2021.682014

[5] Li M, Li X, Zhou Z, Wu P, Fang M, Pan X, et al. Reassessment of the four yield-related genes in rice using CRISPR/Cas9. Mol Plant. 2020;13(7):847–850. https://doi.org/10.1016/j.molp.2020.03.013

[6] Li Q, Li H, Huang W, Xu Y, Zhou Q, Wang S, et al. Development of japonica rice lines with high amylose content through CRISPR/Cas9. Front Plant Sci. 2017;8:298. https://doi.org/10.3389/fpls.2017.00298

[7] Li S, Li J, He Y, Xu M, Zhang J, Du W, et al. Precise gene replacement in plants with CRISPR/Cas9. Nat Biotechnol. 2022;40(3):405–409. https://doi.org/10.1038/s41587-021-01028-5

[8] Paine JA, Shipton CA, Chaggar S, et al. Improving the nutritional value of Golden Rice through increased pro-vitamin A content. Nat Biotechnol. 2005;23(4):482–487. https://doi.org/10.1038/nbt1082

[9] Zhang C, Zhu J, Chen S, Fan X, Li Q, Lu Y, et al. Efficient editing of the starch-branching enzyme gene in rice using CRISPR/Cas9. J Integr Plant Biol. 2018;60(12):1131–1135. https://doi.org/10.1111/jipb.12694

[10] Zhang Y, Pribil M, Palmgren M, Gao C. A CRISPR way for accelerating improvement of food crops. Nat Food. 2020;1(4):200–205. https://doi.org/10.1038/s43016-020-0043-8

[11] Zhou H, Liu B, Weeks DP, Spalding MH, Yang B. Large chromosomal deletions and heritable small genetic changes induced by CRISPR/Cas9 in rice. Nucleic Acids Res. 2019;47(12):6369–6380. https://doi.org/10.1093/nar/gkz459.